

Preliminary: Assessment

SITE INE MOTT METALLURGICAL CORP.

TOWN PLANVILLE NUMBER 110

CONNECTICUT

CTD970524/93

SEPA

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

LIDENTIFICATIONS
OF STATE DESIGNAMEN

PARIT	- SITE INFORMATION AND ASSESSMENT	- 1611000100-139
IL SITE NAME AND LOCATION		
O1 SITE NAME (Laget/common/or descriptive name of also)	02 STREET, NOUTE NO., OR SPEC	PIC LOCATION IDENTIFIER
MOTT METALLURGIERL	Sering LAN.	=
OS CRTY	04 STATE 08 2F CODE 08 CO	UNITY 07 COUNTY 08 CONG
PLAINVILLE 110	C+ 06062 HA	RTPORD DOS 6
OP COOMONATES LATITUDE LON	igmine	
410 41' 214 0" TOO 4	IS DO'TE DO	77-7311
10 DIRECTIONS TO SITE (Starting from regions public road)	out Ever 20 11/2	-C- BAL BT 6 26 MI
FROM HARTFORD WEST ON (PAST RT. 10) LEFT ON SP	RING LANE RD	
BL RESPONSIBLE PARTIES	The second secon	A the second of
01 OWNER (# Internal)	- 102 STREET (Business, malino, respons	
LAMBERT H. MOIT IE . PRES. P.	STOCKHOLDER RINCIPAL	
03 CTY	04 STATE 05 ZIP CODE (0	6 TELEPHONE MANBER
O7 OPERATOR (If Intown and different from owner)	DS STREET (Supress, mailing, reactants	
O9 CITY	10 STATE 11 ZIP CODE 1	2 TELEPHONE NUMBER
13 TYPE OF OWNERSHIP (Check one)	<u> </u>	
C. F. OTHER:	(Agency name)	DICOUNTY DE MUNICIPAL
14 OWNER/OPERATOR NOTIFICATION ON PILE ICROPAL AT SUBJECT AS RCRA 3001" DATE RECEIVED: T. F.T. 180 MONTH DAY YEAR IV. CHARACTERIZATION OF POTENTIAL HAZARD	GENERATOR.	ATE RECEIVED: WONTH DAY YEAR (C) C. NONE
7/ // 50	EPA D B. EPA CONTRACTOR ECC. ST	ATE D. OTHER CONTRACTOR
DATE 5/3/75	LOCAL HEALTH OFFICIAL D. F. OTHER:	(Specify)
CONT	RACTOR NAME(S):	(appear)
O2 SITE STATUS (Check one)	03 YEARS OF OPERATION	
E A ACTIVE B NACTIVE C . UNKNOWN	1968 BORRO YEAR BORRO YEAR	E UNKNOWN
OF DESCRIPTION OF SUBSTANCES BORRIS A SPECIAL ANDRES		
OLDESCRIPTION OF SUBSTANCES POSSIBLY PRESENT. KNOWN NITRIC ACIO, LIGUID HYDROGE ACETONE TOLUENE, TRICHL	N LIQUID NITROGEN ANH	Cy CN, To, Au, Ag
PAUSTICS (NaOH)		
DS DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND	POR POPULATION	Deen Disease RV
DS DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND	POR POPULATION	Deen Disease RV
DEDESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAINS NATION OF A PULLE E MOTT OF INDUSTRIAL WASTES SUPPLY FOR 22,000 POP. M V. PRIORITY ASSESSMENT	TO GROUND LINELY CONTRIB. OTT IS DIRECTLY ADJACENT TO	THIS IS WATER TOWN WELLS
DEDESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAINS NATION OF A PULLE E MOTT OF INDUSTRIAL WASTES SUPPLY FOR 22,000 POP. M V. PRIORITY ASSESSMENT	CORPORULATION IR HAS BEEN DOUMENTED TO GROUND LIKELY CONTRIB OTT IS DIRECTLY ADJACENT TO COMPAND PUTS THE MOMENT AND PUTS DESCRIBED OF HEREFORD OC. LOW. D.D. NONE	THIS IS WATER TOWN WELLS
OB DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAIN IN ATION OF A QUIFE MOTT OF INDUSTRIAL WASTES SUPPLY FOR 23,000 POP. M V. PRIORITY ASSESSMENT OI PRIORITY FOR INSPECTION (Check one. Flags or section a cheaned. □ A. HIGH □ B. MEDIUM	CORPORULATION IR HAS BEEN DOUMENTED TO GROUND LIKELY CONTRIB OTT IS DIRECTLY ADJACENT TO COMPAND PUTS THE MOMENT AND PUTS DESCRIBED OF HEREFORD OC. LOW. D.D. NONE	PAST DISPOSAL BY UTED. THIS IS WATER TOWN WELLS
OB DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAIN NATION OF A PULFE MOTT OF INDUSTRIAL WASTES SUPPLY FOR 23,000 POP. M V. PRIORITY ASSESSMENT OI PRIORITY FOR INSPECTION (Check one. If high or medium is cheated. DA HIGH REQUESTION required primptly) DB. MEDIUM (Respection required)	CORPORULATION IR HAS BEEN DOUMENTED TO GROUND LIKELY CONTRIB OTT IS DIRECTLY ADJACENT TO COMPAND PUTS THE MOMENT AND PUTS DESCRIBED OF HEREFORD OC. LOW. D.D. NONE	PAST DISPOSAL BY UTED THIS IS WATER TOWN WELLS Consider and incidents) on needed, complete current disposition form)
DE DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAIN NATION OF A DUIFE MOTT OF INDUSTRIAL WASTES SUPPLY FOR 23,000 POP. M V. PRIORITY ASSESSMENT DI PRIORITY FOR RISPECTION (Check one. If high or medium is cheaned. A HIGH RESPECTION (Check one. If high or medium is cheaned. B. MEDIUM (Inspection required primply) VI. INFORMATION AVAILABLE FROM DI CONTACT	CORPOPULATION IR HAS BEEN DOUMENTED TO GROUND LIHELY CONTRIB OTT IS DIRECTLY ADJACENT TO COMPINED POILS HOLD INFORMATION and Part 3: Describbon of Hazardous II C. LOW. Improce on time available basels 02 OF (Agency/Organization)	Constitute and incidental ON TELEPHONE NUMBER ON TELEPHONE NUMBER
OB DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND CONTAIN NATION OF A PULFE MOTT OF INDUSTRIAL WASTES SUPPLY FOR 23,000 POP. M V. PRIORITY ASSESSMENT OI PRIORITY FOR INSPECTION/Creek one. If high or medium is cheated. D. A. HIGH MEDIUM (Inspection required primpty) VI. INFORMATION AVAILABLE FROM	CORPOPULATION IR HAS BEEN DOUMENTED TO GROUND LINELY CONTRIB OTT IS DIRECTLY ADJACENT TO COMPINED POT 2 Wells information and Part 3 Department of Hazardous OC. LOW. Graphic on time available basels O2 OF (Agency/Organization)	PAST DISPOSAL BY UTED. THIS IS WATER TOWN WELLS

	TATES, QUANTITIES, AN	ID CHARACTERI 02-WASTEQUANT		03 WASTE CHARACT	EMISTICS (Cheen of the)	polyl-	
E A SOLID E SLURRY SETTING OF SUPPLY SETTING OF SUPPLY SETTING OF SUPPLY		fereste querrene independenti		DE SOLUBLE C'I. HIGHLY VOLATILE DESTRE C F. INFECTIOUS C J. EXPLOSIVE DACTIVE DESTREMENTS C R. BEACTIVE		SIVE IVIS	
CUBIC YARDS VAKNOWA			WKNOWN	S-0 PERSISTENT C H. KINITABLE C L. INCOMPATIBLE M. NOT APPUCABLE			
	₩Specify) →	WING TOF DRUMS		<u> </u>		•	
L-WASTE 1 CATEGORY	TPE		01 GROSS AMOUNT	02 UNIT OF MEASURE			
SLU	SUDGE	AND THE STREET	U1 GROSS AMOUNT	OS OMILON MEXICINA	†		
OLW	#OILY/WASTE			TETRACHLOLO ETHYLENE TRICHLORO ETHYLENE, BENZENE, TOLO			
SOL.	SOLVENTS	· CARGOLA CARACTERS	-		1		
PSD	PESTICIDES	· · · · · · · · · · · · · · · · · · ·	65	gn 120	TO DRIL	VELL IN P.	<u> 45T </u>
(occ)	OTHER ORGANIC CH	JEMON 6	. ~		4		
ioc	INORGANIC GHEMIC		UNKOWN1	 	CN TO DRY	WELL IN PA	IST -
(ACD)	ACIDS	/ned		 	6, 2	Partie Comme	Da 1111
(BAS)	BASES			11 11		DEATHS (NITRIC) to Dry We
(MES)	HEAVY METALS		760	Lb /4R -		DEBURRING	01 02
	OUS SUBSTANCES 4544 A		Land CASA(<u> </u>	INU, TE, AG	AU, CU. CR.	Cd, Alr
CATEGORY	02 SUBSTANCE N		#03 CAS NUMBER	04 STORAGE/DIS	POSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION
	ILL TRICHLOR	The state of the s					CONCENTRATION
	METHILETHIL			to DRI	Weil	50	9al/3 mg
	ACETONE	VETONE		TO DRY	WELL	1 3 2	gal/3 mm
	ISOPROPYLAA.				er () er	50	20/20
	NEUTRALIZED!			11		30	Gal/4 da
	NEVIEW LINEED	VINKICHEID				<u> </u>	XI Van
		<u></u>					4
	The state of the s			 			
	The second of th	wigo, collegence of advantable me				 	<u> </u>
		<u> </u>				 	
<u> </u>	5 - 14 - 41 - 45 - 45 - 45 - 45 - 45 - 4	-					
	•		-				
							
	A Transport State Land Williams, National and are	Approximation of the state of t		1			
							+
			-			 	
	<u> </u>	<u></u>		<u> </u>		<u> </u>	1
. FEEDST	CK\$ (See Appendix for CAS Numb				<u> </u>	-	, <u></u>
CATEGORY	O1 FEEDSTOC	K NAME :	02 CAS NUMBER	CATEGORY	O1 FEEDST	OÇK NAME	02 CAS NUMBER
FDS	Liquio Hyoro	6EN		FDS	ALUMINUM		
FDS	NITROGEN			FDS -	NICKEL "	F-	
FDS	ANHYDROUS A	MONIA		FDS	TITANIUM		-
FDS	NITRIC ACIO	-		FDS -	GOLD		,
L SOURCE	S OF INFORMATION (CA			(eperty)	SILVEE		
	EILES - WAT					566- 2719	

	RELIMINARY ASSESSMENT IN OF HAZARDOUS CONDITIONS AND INCK	OT STATE OF STEMANEER
IL HAZARDOUS CONDITIONS AND INCIDENTS		
OT DA GROUNDWATER CONTAMINATION OS POPULATION POTENTIALLY AFFECTED: 223, CA CLASSIFICATION PLAINVILLE WATER CO; JOHNS FARMINGTON INDUSTRIAL PARK W TUNKIS COMMUNITY CLLEGE + 220	GLLS 5,	Hydro CARBON CONTAMINATION OOD POPULATION. 100
01 F 8 SURFACE WATER CONTAMINATION	02 □ OBSERVED (DATE	3,31,34,85,34
01 D.B. SURFACE WATER CONTAMINATION UNKNI 03 POPULATION POTENTIALLY AFFECTED: UNKNI SCOTT SWAMP BROOK +S D	ON ON MARKATIVE DESCRIPTION RECT L BEHIND MOTE	
01 D.C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED:	02 🗆 OBSERVED (DATE:) DALLEGED
UNKNOWN		
01 D: FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 C. OBSERVED (DATE:	.) DIPOTENTIAL CLANLEGED
ンと入くのろん		
01 □ E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED:	02 - OBSERVED (DATE: - O4 NARRATIVE DESCRIPTION.) C POTENTIAL DIALYEGED
01 T F CONTAMINATION OF SOIL 03 AREA POTENTIALLY AFFECTED: UNKNOWN	347.	nstas to Day Well
LIKELY DUE to PAST DIS	PASAL OF INDUSTRIAL	
#18,21,22,24,25		-
01 [] G. DRINKING WATER CONTAMINATION 23, (000 02 G OBSERVED (DATE: 1980 + 04 NARRATIVE DESCRIPTION	OPPOTENTIAL GRALLEGED
LIKELY DUE to PAST DIS CONTAM NATED - SEE LAB R	EPORTS #10, 11, 17, 19, 20	0,21,24,25
01 DH. WORKER EXPOSURE/NJURY 03 WORKERS POTENTIALLY AFFECTED:	02 D OBSERVED (DATE:	.) [] POTENTIAL [] ALLEGED.
UNKNOWN		
01 DI. POPULATION EXPOSURE/NUURY 03 POPULATION POTENTIALLY AFFECTED: 23	02 © OBSERVED (DATE: 04 NARRATIVE DESCRIPTION) D POTENTIAL D ALLEGED

VIA DRINKING WATER - SEE ABOVE

POTENTIAL HAZARDOUS WASTE SITE

	INARY ASSESSMENT		DOC HOO IS
MARINITOESCRIPTION OF H	IAZARDOUS CONDITIONS AND INCIDENTS		200 1130 11
MEHAZARDOUS CONDITIONS AND INCIDENTS (COMPANY)	•		-
*01 CUMDAMAGETO FLORA *04 NARRATIVE DESCRIPTION -		POTENTIAL	□ ALLEGED
	, MUCH FRESH DIGGING FOR	SEWERY	WATER
LINES NOT BEVIOUS IN 1986	, 1001		
OT CHECODAMAGE TO FAUNA	02 [] OBSERVED (DATE:)	POTENTIAL	D ALLEGED
#04 NAPRATIVE DESCRIPTION; (Include name)(s) of apecies)			
- UNKNOWN			
801 @ CONTAMINATION DEFOOD CHAIN 804 NARRATIVE DESCRIPTION	O2 CLOBSERVED (DATE:)	POTENTIAL	D ALLEGED.
	사람들은 보고 있다면 하는데 되었다. 이 사람들은 보고 있는데 되었다. 기업 등에 본 수준이 하는데 보고 있는데 보고 있는데 보고 있는데 보고 있다.		
UNKNOWN			• •
01 CIMILINSTABLE CONTAINMENT OF WASTES	02 🗆 OBSERVED (DATE:)	POTENTIAL	☐ ALLEGED
iO3 POPULATION POTENTIALLY AFFECTED:	04 NARRATIVE DESCRIPTION	-	
NOT IN 1984, BUT 11	V PAST - #21		
1012 N. DAMAGE TO OFFSITE PROPERTY	02 □ OBSERVED (DATE: 1950-)	POTENTIAL	O ALLEGED
CONTAMINATED AQUIPER			
and the state of t			
OT C.O. CONTAMINATION OF SEWERS, STORM DRAINS, WWITTON NARRATIVE DESCRIPTION	Ps 02 C OBSERVED (DATE:)	POTENTIAL	C ALLEGED
		· · · .	
UNKNOWN			•
01.63 P. ILLEGAL/UNAUTHORIZED DUMPING	02 🗀 OSSERVED (DATE:)	POTENTIAL	C ALLEGED
194:NARRATIVE DESCRIPTION	-		
IN PAST			
		-	
			· · · · · · · · · · · · · · · · · · ·
DE DESCRIPTION OF ANY (OTHER KNOWN, POTENTIAL, OR ALL	LEGED HAZARDS	-	
		_	
• • • • • • • • • • • • • • • • • • •		•	
<u> </u>	-		
	× 23 000	-	
IV: COMMENTS			
		<u>-</u>	
-			
V SOUBCES OF HEADMATION ALL		•	
V. SOURCES OF INFORMATION (Cite apositic references, a.g., store for		- 2903	
NATER COMPLIANCE FILES, D.E. FARMINGTON INDUSTRIAL PARK, BOX TO RAY GREENWOOD, WELLS	P. CHECKIEF CT ACHO AC	3-271 - 03	3 5 3
FAR MINGTON INDUSTRIAL PARK, BOX 7	78, CHESTING , CI, 08410		•
lated. An income and a			

Preliminary Assessment Mott Metallurgical Corp. Plainville, Ct. CTD001150739

This company, on site since 1968 manufacturing sintered metallic filters, hires 75 employees. Lambert H. Mott, 3rd is the principal stockholder and President of the company and David Laurie is safety engineer. Mott Metallurgical is located in the Farmington Industrial Park (F.I.P.) on 6 1/2 acres of land and is bounded on the North by American Cam, on the East by the well field of F.I.P., on the South by a small hill, then Northwest Drive and on the West by Spring Lane. Wasley, Inc. is across Spring Lane from Mott.

In the fall of 1985 Mott switched water sources from the F.I.P. Water Co. to the Plainville water company, although both well fields are win the same aquifer and are contaminated with hydrocarbons. #10, #19, *#20. *Mott was recently connected to the Farmington Sanitary Sewer.

Scott Swamp Brook, <500 ft. West of the building runs through the Farmington Industrial Park, emptying into the Pequabuck River which flows northerly to the Farmington River. The drainage basin is ##4315, *Connecticut River Basin. Bedrock in this area is at app. 100 ft. *and**consists of micaceous, feldspathic to arkosic interbedded coarse to fine-grained sandstone, siltstone and silty shale, which may exceed 3000 ft. Surficial material is composed of a kame terrace deposit of fine grained cyclic sediment.

Groundwater is GA, and within a short distance of Mott Metallurgical are two Johnson Ave wells, (Plainville water supply), and four Farmington Industrial Park Wells #3, which serve Tunxis Community College and about twenty businesses in the Industrial Park itself. The Mott Metallurgical site is the prime recharge zone for the deep gravel deposits from which is drawn the Plainville water supply, #34.

When the company began in 1968 the disposal method for industrial wastes was to a dry well and leaching field Southwest of the building. 465 gal/day of wastes containing nitric acid, chlorides, phosphates and other chemicals went this route.#8 In 1975, a D.E.P. water compliance inspection report showed 1,1,1 trichloroethane, methyl ethyl ketone, acetone, in addition "to the acids, going to the ground.#9 In June of 1975 the Plainville water supply was found to be contaminated with hydrocarbons, Mott's leaching pits were tested and the same compounds found there. Mott Metallurgical Corp. was informed of this situation and told to contain all solvents and have them hauled away by a licensed hauler. #12 Well #3 was taken out of service and pumped to waste to try to cleanse it of the contamination and to protect Well #6 and Mott was referred to the Attorney General for discharging without a permit since 1967. Mott was given an Order #1990 to do a hydrogeologic investigation to determine the extent of groundwater pollution resulting from the discharge of chlorinated hydrocarbons, solvents, alcohol and other chemicals to the ground, and to remove all contaminated wastes from the leaching pits. The hydrogeologic study was not done, so Mott was again referred to the AG's office in January, 1976. In March, 1976, this case was removed from the AG's office because Mott had obtained a permit and ceased disposing to the ground. I could find nothing in the files that indicated that the leaching pit had been cleaned out or that a hydrogeologic analysis had been done, although two 500 gal. holding tanks were installed in the location of the leach field. In 1980, the Farmington Industrial Park wells were found to be contaminated and the question of source of pollution and liability once again raised. In 1982, there was a meeting of the companies which had past on-site disposal and the state suggested they cooperate on a ground water study. Minges Assoc. submitted a proposal for this #40, but the study was never done.

The Johnson Av. water supply wells (in addition to the F.I.P. wells) are still in use with the highest level of 1,1,1 trichloroethane recorded at 101 ug/l in October 1983, the highest level of trichloroethylene at 6.5 ug/l in July,1983, and the highest level of tetrachioroethylene at 19.0 ug/l in June, 1983. See P.A. for Connecticut Spring for scompletes well data.

This industrial area has been polluted by many small industries and businesses in the past and yet the use of the saffected equifer continues. As the population potentially affected is significant in number, I think further study of the entire area of Farmington-Industrial Park sist warranted.

Reference Documents

- 1. Road map
- 2. Topo map
- 3. Water Supply map
- 4. Farmington Industrial Park well data
- 5. F.I.P. map
- 6. Mott Metallurgical site map
- 7. Letter from Natural Resources data bank
- 8. 1970 D.E.P. water compliance inspection maport, sketch map
- 9. 1975 " " " , sample analysis
- Plainville Water Co. and F.I.P. well lab analysis
- 11. Letter from Plainville Water Co. concerning Mott's ground disposal
- 12. Letter to Mott re: contamination of wells; containment of wastes
- 13. Letter to Plainville Water Co. from D.E.P.
- 14. Letters to Mott & Attorney General concerning unpermitted discharge
- 15. Letter to A.G. concerning compliance by Mott; withholding action
- 16. Letter from Mott on handling of wastes

- 17. Letter from Health Commissioner to Plainville Water Co, cease use
- 18. Lab analysis of Mott dry well
- 19. Letter from Plainville Water Co. pumping out contaminated water
- 20. Lab analysis of Plainville Water Co. wells
- 21. D.E.P. letter to Plainville Health Dept. re: Mott Metallurgical
- 22. Lab analysis from Mott dry well
- 23. D.E.P. order #1985 to Mott Metallurgical
- 24. Letter from Mr. Mott to Dept of Health
- 25. Letter from Environmental Health Dept. to Water Compliance
- 26. D.E.P. Water Compliance Permit CTD0022276
- 27. 1976 Discharge permit
- 28. Letters concerning non-compliance to Order 1990
- 29. Analysis of Mott's waste stream
- 30. Letter from Director of Water Compliances to AG, removing case
- 31. Letter from consulting engineers about test holes
- 32. Lab analysis from dry well
- 33. Letter from Mr Mott about test holes
- 34. Hydrology analysis
- 35. Letters revoking Order 1990, withdrawing case from AG's office
- 36. 1980 Water Compliance Inspection report
- 37. Survey of F.I.P. industries
- 38. Hartford Courant article, letter from Paul Marin
- 39. 1982 List of companies in F.I.P. attending meeting about well pollution
- 40. 1983 Minges Assoc. proposal for groundwater study